PATENT ABSTRACTS OF JAPAN

(11)Publication number:

05-182490

(43)Date of publication of application: 23.07.1993

(51)Int.CI.

G11C 27/04 H01L 27/148 HO4N 5/335

(21)Application number: 04-109315

01.04.1992

(71)Applicant: RICOH CO LTD

(72)Inventor: NISHIDA SEIICHI

(54) CHARGE COUPLED DEVICE AND METHOD FOR DRIVING IT


(57) Abstract:

(22)Date of filing:

PURPOSE: To shorten a transfer time and to improve transfer

efficiency.

CONSTITUTION: Transfer gate electrodes 51, 52, 53 consisting of high resistance polysilicon are arranged in a line repeatedly through an SiO2 layer 2 on a substrate 1, and the transfer gate electrodes are provided with metal electrodes 61A, 62A, 63A on respective end parts of the opposite side to a charge transfer direction and provided with metal electrodes 61B, 62B, 63B on the end part of the charge transfer direction. Transfer clock pulses ϕ1A, ϕ2A, &phiv:3A (maximum V2, minimum V1 of voltage value) are supplied to the metal electrodes 61A, 62A, 63A and the transfer clock pulases ϕ1B, ϕ2B, ϕ3B (maximum V3(>V2), minimum V1 of voltage value) are supplied to the metal electrodes 61B, 62B, 63B. Electric field is generated under the transfer gate electrodes whose intensity enlarges in creasingly from the opposite direction side to the charge transfer direction facing to the charge transfer direction side and a potential well is formed on the boundary of Si-SiO2 under the transfer gate electrode whose depth increases from the opposite direction side to the charge transfer direction facing to the charge transfer direction side.



LEGAL STATUS

[Date of request for examination]

01.04.1992

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the

withdrawal

examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

09.06.1994

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of

rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C): 1998,2003 Japan Patent Office

(19)日本国特許庁(JP)

(12) 公開特許公報(A)

(11)特許出願公開番号

特開平5-182490


(43)公開日 平成5年(1993)7月23日

(51)Int.Cl. ⁵		識別記	号	庁内整理番号	FΙ		技術表示箇所	
G11C	27/04	102	В	7323-5L				
H01L	27/148							
H 0 4 N	5/335		F	4228-5C				
				7210-4M	H01L	27/ 14	В	
						審査請求有	請求項の数 2(全 4 頁)	
(21)出願番号		特願平4-109315			(71)出願人	000006747		
		実願昭63-138	7030	の変更		株式会社リコ	_	
(22)出願日		昭和63年(1988)10月25日				東京都大田区中馬込1丁目3番6号		
					(72)発明者	西田 誠一		
						東京都大田区	中馬込1丁目3番6号 株式	
						会社リコー内		
					(74)代理人	弁理士 野口	繁雄	

(54)【発明の名称】 電荷結合デバイスとその駆動方法

(57)【要約】

【目的】 転送時間の短縮化と、転送効率の向上を図る。



FPD4-0100 -00 WD-HP 04.7.20 SEARCH REPORT

【特許請求の範囲】

【請求項1】 半導体基板上に絶縁膜を介して転送ゲー ト電極を列設してなる電荷結合デバイスにおいて、前記 転送ゲート電極を高抵抗材で形成し、前記転送ゲート電 極の電荷転送方向の一端及び他端に転送クロックパルス を供給するための異なる配線を接続したことを特徴とす る電荷結合デバイス。

1

【請求項2】 半導体基板上に絶縁膜を介して高抵抗材 にてなる転送ゲート電極を列設し、前記転送ゲート電極 の電荷転送方向の一端及び他端に異なる配線を接続し、 同一転送ゲート電極では電荷転送方向の先端側の方が後 端側よりも電圧が高くなる転送クロックパルスを供給し て転送ゲート電極の下方に電荷転送方向に向かって深く なる傾きを有するポテンシャル・ウエルを形成するよう にしたことを特徴とする電荷結合デバイスの駆動方法。 【発明の詳細な説明】

[0001]

【産業上の利用分野】本発明は固体撮像デバイスなどに 適用して好適な電荷結合デバイス (Charge Coupled Dev ice、以下、CCDという)と、その駆動方法に関する ものである。

[0002]

【従来の技術】CCDとしては図5にその概念図を示す ものが提案されている。とのCCDはP型シリコン基板 1上にSiO2層2を介して低抵抗ポリシリコンからな る転送ゲート電極31、32、31を繰り返し一列に配置 し、これら転送ゲート電極に対し図6に示す三相クロッ クパルスΦ1, Φ2. Φ3を供給するように構成されてい る。このCCDでは、図6に示す時刻t。において、図 7Aに示すように、転送ゲート電極3₁の下方のSi-SiO₂界面にポテンシャル・ウエルが形成され、この ポテンシャル・ウエルに電荷4が蓄積され、その後、時 刻t,からt,にかけて、図7BないしCに示すようにし て電荷4は転送ゲート電極3,の下方に転送される。と のようにして電荷4は順次転送されていく。

[0003]

【発明が解決しようとする課題】しかしながら、このよ うな図5に示す従来のCCDにおいては、転送ゲート電 極31、32、31の下方に形成されるポテンシャル・ウ エルは、それぞれそのポテンシャル・レベルを平坦にし ているため、電荷4を短時間のうちにスムーズに隣のポ テンシャル・ウェルに転送することができず、そのため 駆動周波数を高くし、転送時間の短縮化を図ることがで きないという問題点があるとともに、電荷4の取りこぼ しが発生しやすく、転送効率が低いという問題点もあっ た。本発明はこのような点に鑑み、転送時間の短縮化 と、転送効率の向上とを図ることを目的としたCCDと その駆動方法を提供することを目的とするものである。

【課題を解決するための手段】本発明によるCCDは、

その構成要素を実施例を示す図1ないし図4に対応させ て説明すると、半導体基板1上に絶縁膜2を介して転送 ゲート電極5,, 5,, 5,を列設してなる電荷結合デバ イスにおいて、転送ゲート電極51,52,53を髙抵抗 材で形成し、転送ゲート電極51,52,53の電荷転送 方向の一端及び他端に転送クロックパルス ϕ_1A 、 ϕ_1B 、 ϕ_z A、 ϕ_z B、 ϕ_A ϕ_B を供給するための異なる配線を 接続したものである。

【0005】本発明による駆動方法は、上記のCCDで 同一転送ゲート電極では電荷転送方向の先端側の方が後 10 端側よりも電圧が高くなる転送クロックパルスφ1Α φ , B, φ, A, φ, B, φ, A, φ, Bを供給して転送ゲート電極 51. 51. 51の下方に電荷転送方向に向かって深くな る傾きを有するポテンシャル・ウエルを形成するように した方法である。

[0006]

【作用】電荷4は電荷転送方向に向かって深くなる傾斜 を有するポテンシャル・ウエルを利用して転送されるの で、短時間にスムーズに隣のポテンシャル・ウエルに転 送されるとともに、また、その際の電荷4の取りとぼし が減少する。

[0007]

20

【実施例】以下、図1ないし図4を参照して本発明の一 実施例につき説明する。図1は本発明の一実施例の要部 を示す概念図であって、P型シリコン基板1上にSiO **,層2を介して高抵抗ポリシリコンからなる転送ゲート** 電極51, 52, 5,が繰り返し一列に配置されている。 なお、矢印Aは電荷転送方向を示している。ことに、転 送ゲート電極51、52、51は、それぞれの電荷転送方 30 向とは逆側の端部上(図上、左端部上)にメタル電極6 ,A, 6,A, 6,Aを有し、これらのメタル電極6,A, 6 $_{2}A$, $_{6}$, $_{8}$ Aを介して図3に示す転送クロックパルス $_{6}$, $_{8}$ φ,A, φ,Aが供給されるように構成されている。 【0008】また、これら転送ゲート電極51,52,5 ,は、それぞれの電荷転送方向の端部上(図上、右端部 上) にメタル電極6₁B, 6₂B, 6₃Bを有し、これらのメ タル電極6,B, 6,B, 6,Bを介して図3に示す転送クロ ックパルス $\phi_1 B$, $\phi_2 B$, $\phi_3 B$ が供給されるように構成さ れている。なお、転送クロックパルスφ₁A、φ₂A、φ₃A はその電圧値を最高V、、最低V、とするものであり、転 送クロックパルス ϕ_1 B、 ϕ_2 B、 ϕ_3 Bはその電圧値を最高 V, (>V,)、最低V,とするものである。

【0009】かかる実施例においては、転送ゲート電極 5,は高抵抗ポリシリコンで形成されているため、例え ば図2に示すように、転送ゲート電極5,上のメタル配 線電極6,A及び6,Bにそれぞれ電圧V,及びV,を供給す ると、この転送ゲート電極5,の電圧はメタル電極6,A 側及びメタル電極6、B側をそれぞれV、及びV、とし、メ タル電極6,A側から6,Bに向かって傾きを有することに 50 なる。この結果、転送ゲート電極5,の下方には、電荷

3

転送方向と逆方向側から電荷転送方向側に渡ってその強度が傾斜的に大きくなる電界が発生する。この結果、転送ゲート電極5,の下方のSi-SiO,界面には図2の破線Xで示すようなポテンシャル・ウエルが形成される。他の転送ゲート電極5,及び5,についても同様のことがいえる。本実施例は、かかるポテンシャル・ウエルを利用して電荷を転送しようとするものである。

【0010】すなわち、本実施例においては、図3に示 す時刻 t。において、図4Aに示すように、転送ゲート 電極5,の下方に電荷転送方向に向かって深くなる傾き を有するポテンシャル・ウエルが形成され、このポテン シャル・ウエルに電荷4が蓄積される。その後、転送ゲ ート電極52の下方に、電荷転送方向に向かって深くな る傾きを有するポテンシャル・ウエルが形成されるとと もに、転送ゲート電極5,の下方のポテンシャル・ウエ ルはその傾きを保持しつつ、その傾きを徐々に浅くし、 時刻t,では、図4Bに示すように、転送ゲート電極5, から転送ゲート電極5, にかけて、直線的に傾くポテン シャル・ウエルが形成される。さらに、その後、転送ゲ ート電極5,の下方のポテンシャル・ウエルは、さらに その深さを浅くし、そして消滅し、時刻 t 2 では図40 に示すように、電荷4は転送ゲート電極5,の下方のポ テンシャル・ウエルに完全に転送される。とのようにし て電荷4は順次転送されていく。

【0011】とのように、本実施例においては、転送ゲート電極51、51、51の下方に、電荷転送方向に向かって深くなる傾きを有するボテンシャル・ウエルを形成し、これらボテンシャル・ウエルを利用して電荷4を転送するようにしているので、電荷4を短時間でスムーズに隣のボテンシャル・ウエルに転送することができる。

したがって本実施例によれば、駆動周波数を高くし、 転送時間の短縮化を図ることができるとともに、電荷4 の転送の際の電荷4の取りとぼしを減少させ、転送効率 の向上を図ることができるという効果がある。

【0012】なお、上述の実施例においては、本発明を NチャネルSCCD(Surface Channel CCD)に適用* * した場合について述べたが、その他本発明はPチャネル SCCD、又はBCCD (Buries Cannel CCD) にも 適用することができ、この場合にも上述と同様の作用効 果を得ることができる。

[0013]

【発明の効果】本発明によれば、転送ゲート電極を高抵抗材で形成し、転送ゲート電極の電荷転送方向の一端及び他端に電圧の異なる転送クロックバルスを供給し、電荷転送路に電荷転送方向に向かって深くなる傾きを有するポテンシャル・ウエルを形成するようにしたことにより、電荷を短時間でスムーズに隣のポテンシャル・ウエルに転送することができるので、駆動周波数を高くし、転送時間の短縮化を図ることができるとともに、電荷4の転送の際の電荷の取りこぼしを減少させ、転送効率の向上を図ることができるという効果がある。

【図面の簡単な説明】

【図1】本発明によるCCDの一実施例の要部を示す概念図である。

【図2】図1の実施例の一部を拡大して示す概念図であ 20 る。

【図3】図1の実施例で使用する転送クロックバルスを 示す波形図である。

【図4】電荷転送路におけるポテンシャル・レベルを示す図である。

【図5】従来のCCDの一例の要部を示す概念図である。

【図6】図5の従来例で使用する転送クロックバルスを 示す波形図である。

【図7】従来の電荷転送路におけるポテンシャル・レベ30 ルを示す図である。

【符号の説明】

1 P型シリコン基板


2 SiO₂層

4 電荷


5,~5, 転送ゲート電極

6,A~6,B メタル電極


【図1】




【図2】




[図3]




【図5】




[図7]



[図4]



【図6】






P.B.5818 - Patentlaan 2 2280 HV Rijswijk (ZH) (070) 3 40 20 40 FAX (070) 3 40 30 16 Europäisches Patentamt European Patent Office Office européen des brevets

Generaldirektion 1

Directorate General 1

Direction générale 1

Frost, Alex John Boult Wade Tennant, Verulam Gardens 70 Gray's Inn Road London WC1X 8BT GRANDE BRETAGNE



EPO Customer Services

Tel.: +31 (0)70 340 45 00

Date

25.01.06

Reference AJF/P81847EP00 Application No./Patent No.

04728950.9 - 2203 PCT/JP2004005808

Applicant/Proprietor

HAMAMATSU PHOTONICS K. K.

COMMUNICATION

The European Patent Office herewith transmits as an enclosure the supplementary European search report under Article 157(2)(a) EPC for the above-mentioned European patent application.


If applicable, copies of the documents cited in the European search report are attached.

Additional set(s) of copies of the documents cited in the European search report is (are) enclosed as well.

Refund of the search fee

If applicable under Article 10 Rules relating to fees, a separate communication from the Receiving Section on the refund of the search fee will be sent later.







SUPPLEMENTARY EUROPEAN SEARCH REPORT

Application Number EP 04 72 8950

	DOCUMENTS CONSIDE	RED TO BE RELEVANT		
Category	Citation of document with in of relevant passa	dication, where appropriate, ages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	EP 0 732 702 A (SON 18 September 1996 (1 * column 4, line 4 claim 1; figures 1,4	1996-09-18) - column 7, line 54;	1-6	H01L27/148 H04N5/335
x	PATENT ABSTRACTS OF vol. 005, no. 044 (124 March 1981 (1981 & JP 55 165687 A (F) 24 December 1980 (1981 & the whole document	E-050), -03-24) JJITSU LTD), 980-12-24)	1-6	
A	PATENT ABSTRACTS OF vol. 017, no. 609 (19 November 1993 (19 & JP 05 182490 A (R 23 July 1993 (1993- the whole documen	P-1640), 93-11-09) ICOH CO LTD), 07-23)	1-6	
•				TECHNICAL FIELDS
				SEARCHED (IPC)
				·
	The supplementary search repo set of claims valid and available	rt has been based on the last at the start of the search.		
	Place of search The Hague	Date of completion of the search 18 January 2006	Boo	Examiner ero, M
X : pai Y : pai doc A : tec O : no	CATEGORY OF CITED DOCUMENTS rticularly relevant if taken alone rticularly relevant if combined with another the same category thrological background no-written disclosure ermediate document	T : theory or princ E : earlier patent after the filing ther D : document cite L : document cite	iple underlying the document, but put date d in the application d for other reason:	e invention Dished on, or n

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 04 72 8950

This annex lists the patent family members relating to the patent documents cited in the above–mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-01-2006

Patent doo cited in sear	· · · · · ·		Publication date		Patent family member(s)		Publication date
EP 07327	02	A	18-09-1996	DE DE JP JP US	69623675 69623675 3259573 8255896 5615242	T2 B2 A	24-10-2002 15-05-2003 25-02-2002 01-10-1996 25-03-1997
JP 55165	687	Α	24-12-1980	NONE			
JP 05182	490	 А	23-07-1993	NONE			